Volume 46, 1997

Plant Pathology

An international journal edited by the
British Society for Plant Pathology

Senior Editor
R. Johnson

Volume Contents

b
Blackwell
Science

ISSN 0032-0862
CODEN PLPAAD

Published by Blackwell Science Ltd
Typeset and printed by the Alden Group, Oxford.

©1997 British Society for Plant Pathology. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the British Society for Plant Pathology for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $14 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Senior Editor. 0032-0862/96 $14.

The Blackwell Science logo is a trade mark of Blackwell Science Ltd registered at the United Kingdom Trade Marks Registry.

Editorial Offices:
23 Ainslie Place, Edinburgh EH3 6AJ
25 St John Street, London WC1N 2BL
Osney Mead, Oxford OX2 0EL
54 University Street, Carlton South, Victoria 3053, Australia
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, D-10707 Berlin, Germany
Blackwell Science KK, MG Kodenmacho Building, 7–10 Kodenmacho Nihombashi, Chuo-ku, Tokyo 104, Japan
Blackwell Science Inc., Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA

ISSN 0032-0862

Contents

NUMBER 1 FEBRUARY

1 *J. G. Harrison, R. J. Searle and N. A. Williams.* Powdery scab disease of potato – a review
26 *D. L. Trudgill.* Parthenogenetic root-knot nematodes (*Meloidogyne* spp.); how can these biotrophic endoparasites have such an enormous host range?
33 *M. R. Khan, M. W. Khan and K. Singh.* Management of root-knot disease of tomato by the application of fly ash in soil
44 *E. A. Tzortzakakis, A. G. De R. Channer, S. R. Gowen and R. Ahmed.* Studies on the potential use of *Pasteuria penetrans* as a biocontrol agent of root-knot nematodes (*Meloidogyne* spp.)
56 *D. Qun, H. Fang-Ting and L. Pei-Yuan.* Elimination of phytoplasma by stem culture from mulberry plants (*Morus alba*) with dwarf disease
62 *J. Troxler, C.-H. Berling, Y. Moënne-Loccoz, C. Keel and G. Défago.* Interactions between the biocontrol agent *Pseudomonas fluorescens* CHA0 and *Thielaviopsis basicola* in tobacco roots observed by immunofluorescence microscopy
72 *A. De Cal, S. Pascual and P. Melgarejo.* Involvement of resistance induction by *Penicillium oxalicum* in the biocontrol of tomato wilt
80 *P. Schmidli-Sacherer, C. Keel and G. Défago.* The global regulator GacA of *Pseudomonas fluorescens* CHA0 is required for suppression of root diseases in dicotyledons but not in Gramineae
91 *I. M. Al-Shahwan, O. A. Abdalla and M. A. Al-Saleh.* Viruses in the northern potato-producing regions of Saudi Arabia
95 *T. N. Sengooba, N. J. Spence, D. G. A. Walkey, D. J. Allen and A. Femi Lana.* The occurrence of bean common mosaic necrosis virus in wild and forage legumes in Uganda
104 *M. Le Romancer and M. Nedellec.* Effect of plant genotype, virus isolate and temperature on the expression of the potato tuber necrotic ringspot disease (PTNRD)
112 *M. V. Macdonald and R. Chapman.* The incidence of *Fusarium moniliforme* on maize from Central America, Africa and Asia during 1992–1995
126 *D. J. Lovell, S. R. Parker, T. Hunter, D. J. Royle and R. R. Coker.* Influence of crop growth and structure on the risk of epidemics by *Mycosphaerella graminicola* (*Septoria tritici*) in winter wheat
139 *A. H. Yahyaoui, M. Reinhold and A. L. Scharen.* Virulence spectrum in populations of the barley powdery mildew pathogen, *Erysiphe graminis* f.sp. *hordei* in Tunisia and Morocco in 1992
147 *H. Brun, S. Levivier, F. Eber, M. Renard and A. M. Chèvre.* Electrophoretic analysis of natural populations of Leptosphaeria maculans directly from leaf lesions
155 Book review

NUMBER 2 APRIL

157 *G. L. Bateman.* Pathogenicity of fungi associated with winter loss and injury in white lupin
168 *J. Bejarano-Alcázar, M. A. Blanco-López, J. M. Melero-Vara and R. M. Jiménez-Díaz.* The influence of verticillium wilt epidemics on cotton yield in southern Spain
179 *T. S. Gunasekera, N. D. Paul and P. G. Ayres.* The effects of ultraviolet-B (UV-B: 290-320 nm) radiation on blister blight disease of tea (*Camellia sinensis*)
186 *S. Lodha, S. K. Sharma and R. K. Aggarwal.* Solarization and natural heating of irrigated soil amended with cruciferous residues for improved control of *Macrophomina phaseolina*
191 *B. Jensen and L. Munk.* Nitrogen-induced changes in colony density and spore production of *Erysiphe graminis* f.sp. *hordei* on seedlings of six spring barley cultivars
203 *M. Lootsma and K. Scholte.* Effects of the springtail *Folsomia fimetaria* and the nematode *Aphelenchus avenae* on *Rhizoctonia solani* stem infection of potato at temperatures of 10 and 15°C
209 *M. Lootsma and K. Scholte.* Effect of soil moisture content on the suppression of Rhizoctonia stem canker on potato by the nematode *Aphelenchus avenae* and the springtail *Folsomia fimetaria*
216 *J. Pereira and O. D. Dhingra.* Suppression of *Diaporthe phaseolorum* f.sp. meridionalis in soybean stems by *Chaetomium globosum*
224 *B. Prithiviraj, U. P. Singh, M. Manickam, J. S. Srivastava and A. B. Ray.* Antifungal activity of bergenin, a constituent of *Flueggea microcarpa*
229 *D. Earnshaw and G. J. Boland.* Mycelial compatibility groups in *Sclerotium cepivorum*
239 *G. M. Kairu.* Biochemical and pathogenic differences between Kenyan and Brazilian isolates of *Pseudomonas syringae* pv. *garcae*
247 *C. F. N. Pijls and M. W. Shaw.* Weak selection by field sprays for flutriafol resistance in *Septoria tritici*
264 *S. J. Edwards, H. A. Collin and S. Isaac.* The response of different celery genotypes to infection by *Septoria apiicola*

271 *A. Giamoustaris and R. Mithen.* Glucosinolates and disease resistance in oilseed rape (*Brassica napus* ssp. *oleifera*)
276 *B. Le Cam, L. Lebreton, P. Massiot and F. Rouxel.* Production of cell-wall polysaccharide degrading enzymes in carrot root tissues infected by *Mycocentrospora acerina*
282 *M. Paximadis, G. Dusterwald, L. Duyver and M. E. C. Rey.* Preliminary investigation of the causal agent(s) of a disease causing leaf curl of tobacco in South Africa

NUMBER 3 JUNE

291 *P. Vidhyasekaran, R. Rabindran, M. Muthamilan, K. Nayar, K. Rajappan, N. Subramanian and K. Vasumathi.* Development of a powder formulation of *Pseudomonas fluorescens* for control of rice blast
298 *D. R. Burgess, T. Bretag and P. J. Keane.* Biocontrol of seedborne *Botrytis cinerea* in chickpea with *Gliocladium roseum*
306 *M. C. Smith and J. Holt.* Analytical models of weed biocontrol with sterilizing fungi: the consequences of differences in weed and pathogen life-histories
320 *A. Raio, A. Zoina and L. W. Moore.* The effect of solar heating of soil on natural and inoculated agrobacteria
329 *C. J. Lopez-Herrera, R. M. Perez-Jimenez, M. J. Basallote-Ureba, T. Zea Bonilla and J. M. Melero-Vara.* Effect of soil solarization on the control of *Phytophthora* root rot in avocado
341 *E. Mwenje and J. P. Ride.* The use of pectic enzymes in the characterization of *Armillaria* isolates from Africa
355 *D. Sicard, S. Buchet, Y. Michalakis and C. Neema.* Genetic variability of *Colletotrichum lindemuthianum* in wild populations of common bean
366 *W. A. Smit, B. D. Wingfield and M. J. Wingfield.* Vegetative incompatibility in *Diaporthe ambigua*
373 *A. Calonnec, R. Johnson and C. de Vallavieille-Pope.* Genetic analysis of resistance to *Puccinia striiformis* in the wheat differential cultivars Heines VII, Heines Peko and Strubes Dickkopf
387 *A. Calonnec, R. Johnson and C. de Vallavieille-Pope.* Identification and expression of the gene *Yr2* for resistance to *Puccinia striiformis* in the wheat differential cultivars Heines Kolben, Heines Peko and Heines VII
397 *H. G. Whelan, R. E. Gaunt and W. R. Scott.* The effect of leaf rust (*Puccinia hordei*) on yield response in barley (*Hordeum vulgare* L.) crops with different yield potentials
407 *E. Roca, J. Aramburu and E. Moriones.* Comparative host reactions and *Frankliniella occidentalis* transmission of different isolates of tomato spotted wilt tospovirus from Spain
416 *S. Salamati and A. M. Tronsmo.* Pathogenicity of *Rhynchosporium secalis* isolates from Norway on 30 cultivars of barley
425 *D. M. Kenyon, G. R. Dixon and S. Helfer.* The repression and stimulation of growth of *Erysiphe* sp. on *Rhododendron* by fungicidal compounds
432 *P. Bertolini and S. P. Tian.* Effect of temperature of production of *Botrytis allii* conidia on their pathogenicity to harvested white onion bulbs
439 *C. H. Bock, M. J. Jeger, B. D. L. Fitt and J. Sherington.* Effect of wind on the dispersal of oospores of *Peronosclerospora sorghi* from sorghum

NUMBER 4 AUGUST

451 *P. J. A. Burt, J. Rutter and H. Gonzales.* Short-distance wind dispersal of the fungal pathogens causing Sigatoka diseases in banana and plantain
459 *A. Evenhuis, B. Verdam and J. C. Zadoks.* Splash dispersal of conidia of *Mycocentrospora acerina* in the field
470 *S. R. Parker, M. W. Shaw and D. J. Royle.* Measurements of spatial patterns of disease in winter wheat crops and the implications for sampling
481 *L. de Lapeyre de Bellaire and X. Mourichon.* The pattern of fungal contamination of the banana bunch during its development and potential influence on incidence of crown-rot and anthracnose diseases
490 *J. Holt and T. C. B. Chancellor.* A model of plant virus disease epidemics in asynchronously-planted cropping systems
502 *E. Sadeghi, C. A. Dedryver and J. P. Gauthier.* Role of acquisition and inoculation time in the expression of clonal variation for BYDV-PAV transmission in the aphid species *Rhopalosiphum padi*
509 *C. L. Petersen and J. G. Charles.* Transmission of grapevine leafroll-associated closteroviruses by *Pseudococcus longispinus* and *P. calceolariae*
516 *N. Habili, C. F. Fazeli and M. A. Rezaian.* Identification of a cDNA clone specific to grapevine leafroll-associated virus 1, and occurrence of the virus in Australia
523 *V. K. Baranwal and H. N. Verma.* Characteristics of a virus inhibitor from the leaf extract of *Celosia cristata*

530 *C. Marcone, A. Ragozzino and E. Seemüller.* Detection and identification of phytoplasmas in yellows-diseased weeds in Italy
538 *H. Kison, B. C. Kirkpatrick and E. Seemüller.* Genetic comparison of the peach yellow leaf roll agent with European fruit tree phytoplasmas of the apple proliferation group
545 *U. A. Schöfl and V. Zinkernagel.* A test method based on microscopic assessments to determine curative and protectant fungicide properties against *Septoria tritici*
557 *A. D. Iwaro, T. N. Sreenivasan and P. Umaharan. Phytophthora* resistance in cacao (*Theobroma cacao*): influence of pod morphological characteristics
566 *S. I. Akanda and C. C. Mundt.* Effect of two-component cultivar mixtures and yellow rust on yield and yield components of wheat
581 *I. Sache.* Effect of density and age of lesions on sporulation capacity and infection efficiency in wheat leaf rust (*Puccinia recondita* f.sp. *tritici*)
590 *A. Viljoen, M. J. Wingfield, T. R. Gordon and W. F. O. Marasas.* Genotypic diversity in a South African population of the pitch canker fungus *Fusarium subglutinans* f.sp. *pini*
594 *J. A. Eastgate, L. Thompson, J. Milner, R. M. Cooper, C. E. Pollitt and I. S. Roberts.* Identification of a nonpathogenic *Erwinia amylovora guaB* mutant
600 *V. V. Michel, J.-F. Wang, D. J. Midmore and G. L. Hartman.* Effects of intercropping and soil amendment with urea and calcium oxide on the incidence of bacterial wilt of tomato and survival of soil-borne *Pseudomonas solanacearum* in Taiwan
611 Book reviews

NUMBER 5 OCTOBER

615 *P. R. Scott.* The incredible pace of change: information technology in support of plant pathology
636 *G. D. Lyon and A. C. Newton.* Do resistance elicitors offer new opportunities in integrated disease control strategies?
642 *S. A. Simons and C. A. Gilligan.* Factors affecting the temporal progress of stem canker (*Rhizoctonia solani*) on potatoes (*Solanum tuberosum*)
651 *S. A. Simons and C. A. Gilligan.* Relationships between stem canker, stolon canker, black scurf (*Rhizoctonia solani*) and yield of potato (*Solanum tuberosum*) under different agronomic conditions
659 *J. Keijer, M. G. Korsman, A. M. Dullemans, P. M. Houterman, J. de Bree and C. H. van Silfhout. In vitro* analysis of host plant specificity in *Rhizoctonia solani*
670 *U. Merz.* Microscopical observations of the primary zoospores of *Spongospora subterranea* f.sp. *subterranea*
675 *D. J. van der Gaag and H. D. Frinking.* Extraction of oospores of *Perenospora viciae* from soil
680 *M. L. Sutherland and C. M. Brasier.* A comparison of thirteen d-factors as potential biological control agents of *Ophiostoma novo-ulmi*
693 *L. Avinent, G. Llácer, J. Almacellas and R. Torá.* Pear decline in Spain
698 *A. De Cal, S. Pascual and P. Melgarejo.* A rapid laboratory method for assessing biological control
707 *M. Mazzola, T. E. Johnson and R. J. Cook.* Influence of field burning and soil treatments on growth of wheat after Kentucky bluegrass, and effect of *Rhizoctonia cerealis* on bluegrass emergence and growth
716 *T. Reglinski, P. R. Poole, G. Whitaker and S. M. Hoyte.* Induced resistance against *Sclerotinia sclerotiorum* in kiwifruit leaves
722 *D. Andrivon, K. Ramage, C. Guérin, J. M. Lucas and B. Jouan.* Distribution and fungicide sensitivity of *Colletotrichum coccodes* in French potato-producing areas
729 *M. L. Gullino, E. Mescalchin and M. Mezzalama.* Sensitivity to cymoxanil in populations of *Plasmopara viticola* in northern Italy
737 *F. J. Kloppers and Z. A. Pretorius.* Effects of combinations amongst genes *Lr13*, *Lr34* and *Lr37* on components of resistance in wheat to leaf rust
751 *H. W. Roderick and B. J. Thomas.* Infection of ryegrass by three rust fungi (*Puccinia coronata*, *P. graminis* and *P. loliina*) and some effects of temperature on the establishment of the disease and sporulation
762 *G. A. Darakis, V. A. Bourbos and M. T. Skoudridakis.* Phosphonate transport in *Phytophthora capsici*
773 *N. La Porta, P. Capretti, K. Kammiovirta, R. Karjalainen and K. Korhonen.* Geographical cline of DNA variation within the F intersterility group of *Heterobasidion annosum* in Italy
785 *A. K. Srivastava and D. K. Arora.* Evaluation of polyclonal antibody immunoassay for detection and quantification of *Macrophomina phaseolina*
795 *N. Boonham, V. Harju, K. R. Wood and C. M. Henry.* Infection of oats and other cereals by oat chlorotic stunt virus in the field and laboratory
800 *H. A. Mahgoub, C. Desbiez, C. Wipf-Scheibel, G. Dafalla and H. Lecoq.* Characterization and occurrence of Zucchini Yellow Mosaic Virus in Sudan
806 Book and software reviews

NUMBER 6 **DECEMBER**

809 *C. Desbiez and H. Lecoq.* Zucchini yellow mosaic virus
830 *M. L. Garcia, M. E. Sanchez de la Torre, E. Dal Bo, K. Djelouah, N. Rouag, E. Luisoni, R. G. Milne and O. Grau.* Detection of citrus psorosis-ringspot virus using RT-PCR and DAS-ELISA
837 *P. M. Magdalita, D. M. Persley, I. D. Godwin, R. A. Drew and S. W. Adkins.* Screening *Carica papaya* × *C. cauliflora* hybrids for resistance to papaya ringspot virus-type P
842 *P. Nicholson, H. N. Rezanoor, D. R. Simpson and D. Joyce.* Differentiation and quantification of the cereal eyespot fungi *Tapesia yallundae* and *Tapesia acuformis* using a PCR assay
857 *J. M. Young, L. Gardan, X.-Z. Ren and F.-P. Hu.* Genomic and phenotypic characterization of the bacterium causing blight of kiwifriut in New Zealand
865 *M. H. El-Masry, T. A. Brown, H. A. S. Epton and D. C. Sigee.* Transfer from *Erwinia herbicola* to *Escherichia coli* of a plasmid associated with biocontrol of fire blight
871 *R. Huang, M. Galperin, Y. Levy and R. Perl-Treves.* Genetic diversity of *Fusarium moniliforme* detected by vegetative compatibility groups and random amplified polymorphic DNA markers
882 *Z. Kerényi, É. Táborhegyi, A. Pomázi and L. Hornok.* Variability amongst strains of *Fusarium poae* assessed by vegetative compatibility and RAPD polymorphism
890 *I. Somda, S. Harkous and H. Brun.* Bipolar heterothallism in B-group isolates of *Leptosphaeria maculans*
897 *H. R. Kataria, B. Wilmsmeier and H. Buchenauer.* Efficacy of resistance inducers, free-radical scavengers and an antagonistic strain of *Pseudomonas fluorescens* for control of *Rhizoctonia solani* AG-4 in bean and cucumber
910 *D. R. Burgess and P. J. Keane.* Biological control of *Botrytis cinerea* on chickpea seed with *Trichoderma* spp. and *Gliocladium roseum*: indigenous versus non-indigenous isolates
919 *M. P. McQuilken, S. P. Budge and J. M. Whipps.* Biological control of *Sclerotinia sclerotiorum* by film-coating *Coniothyrium minitans* on to sunflower seed and sclerotia
930 *A. C. Newton, R. P. Ellis, C. A. Hackett and D. C. Guy.* The effect of component number on *Rhynchosporium secalis* infection and yield in mixtures of winter barley cultivars
939 *S. Salamati and H. A. Magnus.* Leaf blotch severity on spring barley infected by isolates of *Rhynchosporium secalis* under different temperature and humidity regimes
946 *P. Jones.* Control of loose smut (*Ustilago nuda* and *U. tritici*) infections in barley and wheat plants by foliar application of triadimefon
952 *J. P. Clarkson, R. Kennedy, K. Phelps, J. Davies and J. Bowtell.* Quantifying the effect of reduced doses of propiconazole (Tilt) and initial disease incidence on leek rust development
964 *N. I. Nashaat, A. Heran, S. E. Mitchell and R. P. Awasthi.* New genes for resistance to downy mildew (*Peronospora parasitica*) in oilseed rape (*Brassica napus* ssp. *oleifera*)
969 *R. B. O'Hara and J. K. M. Brown.* Spatial aggregation of pathotypes of barley powdery mildew
978 *D. J. van der Gaag and H. D. Frinking.* Survival characteristics of oospore populations of *Peronospora viciae* f.sp. *pisi* in soil
989 *M. Hashim, J. A. Roberts, S. Rossall and M. J. Dickinson.* Leaflet abscission and phytoalexin production during the response of two faba bean breeding lines to *Botrytis* infection
997 Author Index